

ONE CONTROL SYSTEM FOR INTERCOM & CCTV SURVEILLANCE



FIP-F1 Solution-821



One Control System for Intercom and CCTV Surveillance.


FUTURO IP has launched the FUTURO 1-SOLUTION KIT, featuring a 10" All-in-One Indoor Station that functions as the management center for converging security solutions in homes and offices. Users can now enjoy the simplicity and flexibility of integrating various Futuro IP devices, including video intercom, IP cameras, and NVRs, allowing its users to have complete control at their fingertips!

The All-in-One system can connect to eight POE devices mixed with IP cameras, door stations or intercom monitors through the built-in cloud-based device management application. Futuro IP devices or sub-systems can be managed and monitored by the All-in-One Indoor Station. Video intercom, IP cameras, NVRs, and other Futuro IP devices can be managed with a tap on the touchscreen, including unlocking doors, using the video intercom, video monitoring, and more.

The All-in-One 10" Indoor Station IP cameras and door stations can be displayed in a quad or full-screen format. Events from various products and sub-systems can be linked together by setting linkage rules through a built-in cloud-based device management application. Installers can easily help users to create scenarios for various event types, time schedules and triggered actions according to their specifications. These functions can also be enjoyed with a smartphone App with the ability to answer visitors remotely.

The Single Button Intercom Door Station is usually fixed in place at any convenient location, putting the system within easy reach. Users can complete daily operations conveniently with just a tap of the screen.

FIP-F1 SOLUTION-821 SYSTEM CONFIGURATION:



FIP-F1 SOLUTION-821 KIT INCLUDES:



0 605

- 1x FIP-M-10Android95-White 10" All-in-One Touch Indoor Station
- 1x FIP-NVR-108MH 8CH Plug & Play NVR with 2TB
- 1x FIP-L-Door-IP Single Button Intercom Doorstation
- **3x FIP-T250H** 5MP Turret Cameras



FIP-M-10ANDROID95-WHITE


FUTURD IP 10.1" Colourful Touch-Screen IP Room Monitor with Wi-Fi, PoE in White Finish



Unit:mm

DESCRIPTION:

- + 10.1-inch colourful touch screen with resolution 1024×600
- UI V2.0: User friendly design
- Plug & play, easy installation
- Standard PoE
- Open platform for the third-party software integration
- Wireless intrusion panel for on-site management
- Receives 7 seconds of video verification from alarm systems
- Unlocks on mobile App anytime, anywhere



FIP-NVR-108MH

ㅌ니ㅜ니ㄹㅁ IP 8CH Plug & Play NVR with 2TB

DESCRIPTION:

- Up to 8-ch IP camera inputs
- H.265+/H.265/H.264+/H.264 video formats
- Up to 1-ch@8 MP/5-ch@1080p decoding capacity
- Up to 80 Mbps incoming bandwidth
- H.265+ compression (reduces storage space by up to 75%)
- Provide simultaneous HDMI and VGA outputs
- HDMI video output at up to 4K resolution
- 1 SATA interface for HDD connection (up to 8 TB capacity per HDD)
- Smart search/smart playback to improve the playback efficiency
- Support multiple VCA (Video Content Analytics) events
- Configurable VCA detection (motion, line crossing, intrusion, etc.)
- Heat map, ANPR, and people counting
- 8 independent PoE network interfaces
- 1 self-adaptive 10/100/1000 Mbps Ethernet interface






ー니ㅜ니ㄹㅁ Iㄹ Residential Single Door Station

DESCRIPTION:

- CMOS 2MP HD Colourful Camera
- 1CH Indoor Station access
- Standard PoE/12V DC
- Mifare card reading module
- 10M/100M Self-adaptive Ethernet
- RS-485
 - 4CH alarm input
 - 1 relay for door lock control
 - 2 indicator integrated




FIP-T250H

두니ㅜ니ㄹㅁ Iㄹ 5MP IR Fixed Network Turret Camera

DESCRIPTION:

- 1/2.7" progressive scan CMOS
- 3D DNR (Digital Noise Reduction)
- 2560 × 1920@15fps
- Up to 30 m IR range
- 2.8 mm/4 mm/6 mm fixed lens
- PoE (Power over Ethernet)
- H.265+, H.265, H.264+, H.264
- IP67
- Dual stream









Convergence and Control Security with a Simple Touch!

0



08 9249 5911

wa@eos.com.au

© 2021 EOS Australia Pty. Ltd.

07 3252 9272

ald@eos.com.au

All rights reserved. Other trademarks and trade names may be used in this document to refer to either the entities claiming the marks and names or their products. EOS Australia PTY LTD disclaims proprietary interest in the marks and names of others. This document is for informational purposes only. EOS Australia PTY LTD reserves the right to make changes without further notice to any products herein. The content provided is as is and without express or implied warranties of any kind.

NSW 02 9749 5888

nsw@eos.com.au

03 9544 5633

vic@eos.com.au