

NEXi-IND-Plus

MAIN FEATURES:

- 8th Gen Intel® Core™ i5-9500TE CPU
- 250GB mSATA
- 128GB SSD for OS (Linux)
- 1 x SATA 6 connector supports 2.5" SSD (Up to 8TB)
- 1 x HDMI @ 24Hz / 1 x Display Port @ 60Hz
- 2 x Ethernet Ports + 2x PoE ports
- 2 x PoE ports, RJ45
- 15W per PoE
- 1 x M.2 2230 E-key socket (supports BT/WiFi/Google TPU)
- Support up to 50 cameras for WAVE
- Operating Temp -20~60°C with wide temperature parts, fanless
- IP40
- Powered by PE200U



SPECIFICATIONS:

SYSTEM	CPU	8th Gen Intel® Core™ i3-8145UE
	TDP	15W
	# of Cores	2
	Base Freq.	2.2 GHz
	Max Turbo Freq.	3.9 GHz
	Memory	1x SO-DIMM, DDR4 2400 MHz, 8GB
EXTERNAL INTERFACES	Display	1 x HDMI 1.4, supports up to 4096 x 2160 @ 24 Hz 1 x DP 1.2a, supports up to 4096 x 2160 @ 60 Hz
	Ethernet	2 x 10/100/1000 Mbps 2 x PoE ports, RJ45
	USB	4 x USB 3.2 Gen 2, type A 4 x USB 2.0, type A (optional)
	Audio	1 x Mic-in, phone jack 1 x Line-out, phone jack
	COM	4 x USB 3.2 Gen 2, type A 4 x USB 2.0, type A (optional)
	GPIO	1 x 8bit GPIO, DB9
STORAGE	SATA	1 x SATA 6 connector supports 2.5" SSD - UP TO 8TB
	mSATA	250GB mSATA
EXPANSION SLOT	M.2 E Key	1 x M.2 2230 E-key socket (PCIe / USB2.0 / CNVi mode) OPTIONAL (supports BT/Wi-Fi module/ Google TPU module)
	SIM	1 x nano-SIM slot
POWER	Power Input	12 to 24 V DC, 2-pin terminal block
MECHANICAL	Mounting	Wall-mount/ VESA mount
	Dimensions	254 (H) x 147 (W) x 57 (D) mm
	Weight	2.45 kg
ENVIRONMENT	Operating Temp.	-20~60°C with wide temperature parts, fanless
	Storage Temp.	-40~85°C
	Relative Humidity	10 to 95% (non-condensing)
	EMC	CE (ITE), FCC , VCCI, BSMI, RCM,KCC
	Safety	UL,CB, CCC, BSMI, CE
	Vibration	Operating: 0.21Grms, 5~500 Hz, 20min duration
	Shock	Operating: 50 G, half sine 11ms duration
Green	GA (RoHS)	
SECURITY	TPM	TPM v2.0
OPERATING SYSTEM	Watch Dog Timer	Yes. HW WDT Enable (WDT_EN)
	Operating System	Ubuntu

© 2023 EOS Australia PTY LTD. The exclusive distributor of NEXi Server. Specifications and price are subject to change without prior notice. All rights reserved.

NEXi-IND-Plus

DIMENSIONS:

